

Jasper Soy Processors LLC 206 W Wall St. Jasper MN 56144

PH: 507-348-3205

Extruded Full Fat Soy Nutritional Typical Analysis				
Moisture	5.00%	Minerals		
Crude Protein (DM)	40.73%	Calcium	0.25%	
Crude Protein (chemistry-not less than)	38.00%	Phosphorus	0.60%	
By-Pass Prot.	65.00%	Phosphorus Available	0.30%	
A.D.F	7.00%	Potassium	1.68%	
N.D.F	14.20%	Magnesium	0.26%	
TDN	82.29%	Manganese	30 ppm	
NEL.	1.22%	Sodium	0.02%	
NEG	92.00%	Chloride	0.02%	
NEM	1.22%	Copper	18 ppm	
M.E. Swine Kcal/KG	4350	Iron	80 ppm	
M.E. Poultry Kcal/KG	3950	Zinc	25 ppm	
NFE(Nitrogen Free Extract.)	24.39%	Selenium	.11ppm	
Ash	5.32%	Sulfur	0.22%	
Calories	4.5/g	Vitamins	0.22 /0	
Calories from fat	•	Beta Carotene	29 IU	
Carbohydrates	1.64/g 30.79%	Vitamin A	29 IU 1735 IU	
Dietary fiber	30.79% 21.40%	Vitamin A Vitamin C		
	10.00%		.02 mg/g	
Insoluble Dietary fiber		Thiamine (B1)	.002 mg/g	
Soluble Fiber Crude Fiber	10.44%	Riboflavin (B2)	.036 mg/g	
	5.40%	Niacin	2.51 mg/g	
Total sugar Fructose	8.38% 0.51%	Vitamin B6 Vitamin E	3.38 mg/g	
	0.51%		44 IU	
Glucose Sucrose	0.39% 7.48%	(Tocopherols and Tocotrienols Folic Acid		
Maltose	0.00%	Pantothenic Acid	5 mcg/g .002 mg/g	
Lactose	0.00%	Paritotheriic Acid	.002 mg/g	
Amino Acids as % of CP	0.00 /6	Fats		
	4.000/		40.000/	
Aspartic Acid	4.28%	Fat - Total	19.80%	
Threonine	3.89%	Cholesterol	0.00%	
Serine	1.76%	Saturated Fat	2.68%	
Glutamic Acid	6.67%	Monounsaturated fat	3.97%	
Proline	1.90%	Polyunsaturated fat	11.51%	
Glycine	1.61%	Omega 3 (Linoleic)	9.13%	
Alanine	1.59%	Omega 6 (Linolenic)	55.44%	
Cystine	0.53%	Lecithin	0.70%	
Valine	4.72%			
Methionine	1.33%			
Isoleucine	4.53%			
Leucine	7.58% 1.25%			
Tyrosine Phenylalanine	1.25% 5.03%			
Histidine	5.03% 2.61%			
	6.14%	New studies have shown that n	atural vitamin	
Lysine	6.14% 7.25%			
Arginine	7.25% 1.33%	· · · · · · · · · · · · · · · · · · ·	forms found in this product are 50 to 70 times more available than synthetic sources.	
Tryptophan Typsin Inhibitor units	1.33% 1.1-1.5 mg/g	inore available than synthetic s	ources.	
		n kent dry. However, after mixing with other t		

Note: Storage life of this product is 3.4 years when kept dry. However, after mixing with other feeds shelf life is usually less than 60 days. If stored in bags for prolonged time, the the bags themselves my deteriate, however the product inside should continue to stay fresh.